



SINCE 1964

STARTING AUTOMOTIVE BATTERIES

ACTIVA








































2018

www.apbatterie.it
info@apbatterie.it



| Code | Box | + | Ah [C20] | A [EN] | H-Down | Dimensions | Layout |
|-------------------------------------|-----|-----|-------------|-----------|--------|-------------|--------|
| 12V Cars SMF - Check Control | | | | | | | |
| 544 065 SMF | L1B | - + | 44 | 390 | B3 | 207x175x175 | |
| 550 059 SMF | L1 | - + | 50 | 400 | B3 | 207x175x190 | |
| 555 010 SMF | L1 | - + | 55 | 500 | B3 | 207x175x190 | |
| 560 077 SMF | L2B | - + | 60 | 510 | B3 | 242x175x175 | |
| 562 059 SMF | L2 | - + | 62 | 540 | B3 | 242x175x190 | |
| 570 018 SMF | L3B | - + | 70 | 630 | B3 | 275x175x175 | |
| 580 012 SMF | L3 | - + | 80 | 680 | B3 | 275x175x190 | |
| 600 038 SMF | L5 | - + | 100 | 800 | B3 | 354x175x190 | |
| 12V Cars Standard | | | | | | | |
| 544 000 036 | L0 | - + | 44 | 360 | B3 | 175x175x190 | |
| 545 077 036 | E2 | - + | 45 | 360 | B1 | 218x135x225 | |
| 545 079 036 | E2 | + - | 45 | 360 | B1 | 218x135x225 | |
| 550 064 040 | L1 | + - | 50 | 400 | B3 | 207x175x190 | |
| 562 065 052 | L2 | + - | 62 | 520 | B3 | 242x175x190 | |
| 580 033 068 | L3 | + - | 80 | 680 | B3 | 275x175x190 | |
| 585 039 074 | L4B | - + | 85 | 740 | B3 | 305x175x175 | |
| 600 018 085 | L4 | - + | 100 | 850 | B3 | 305x175x190 | |
| 600 019 085 | L4 | + - | 100 | 850 | B3 | 305x175x190 | |
| 610 042 095 | L6 | - + | 110 | 950 | B3 | 392x175x190 | |

| Code | Box | + | Ah [C20] | A [EN] | H-Down | Dimensions | Layout |
|---|----------|-----|-------------|-----------|--------|-------------|---|
| 12V Cars Asia SMF ■ Check Control | | | | | | | |
| 540 020 SMF | B20 | - + | 40 | 360 | B0 | 197x129x220 |  |
| 540 022 SMF | B20 | + - | 40 | 360 | B0 | 197x129x220 |  |
| 540 004 SMF | B20 | - + | 40 | 360 | B1 | 197x129x220 |  |
| 545 084 SMF | B24 | - + | 45 | 420 | B0 | 234x128x220 |  |
| 545 051 SMF | B24 | + - | 45 | 420 | B0 | 234x128x220 |  |
| 560 068 SMF | D23 | - + | 60 | 480 | B1 | 232x170x220 |  |
| 560 069 SMF | D23 | + - | 60 | 480 | B1 | 232x170x220 |  |
| 575 029 SMF | D26 | - + | 75 | 640 | B1 | 257x172x220 |  |
| 575 024 SMF | D26 | + - | 75 | 640 | B1 | 257x172x220 |  |
| 600 070 SMF | D31 | - + | 100 | 800 | B1 | 306x172x220 |  |
| 600 072 SMF | D31 | + - | 100 | 800 | B1 | 306x172x220 |  |
| 12V Cars Stop-Start ■ EFB Technology | | | | | | | |
| SS 2 EFB | L2 | - + | 60 | 560 | B3 | 242x175x190 |  |
| SS 3 EFB | L3 | - + | 70 | 680 | B3 | 275x175x190 |  |
| SS 4B EFB | L4B | - + | 75 | 730 | B3 | 305x175x175 |  |
| SS B24 EFB | B24 Asia | - + | 45 | 460 | B1 | 234x128x220 |  |
| SS D23 EFB | D23 Asia | - + | 65 | 670 | B1 | 232x172x220 |  |
| SS D26 EFB | D26 Asia | - + | 70 | 730 | B1 | 257x172x220 |  |
| SS D31 EFB | D31 Asia | - + | 90 | 850 | B1 | 306x172x220 |  |

| Code | Box | + | Ah [C20] | A [EN] | H-Down | Dimensions | Layout |
|---|------------|-----|-------------|-----------|--------|-------------|---|
| 12V Cars Stop-Start - AGM Technology | | | | | | | |
| SS 3 AGM | L3 | - + | 70 | 760 | B3 | 275x175x190 |  |
| SS 4 AGM | L4 | - + | 80 | 800 | B3 | 315x175x190 |  |
| SS 5 AGM | L5 | - + | 95 | 900 | B3 | 354x175x190 |  |
| SS 6 AGM | L6 | - + | 105 | 950 | B3 | 392x175x190 |  |
| 12V Trucks - Tractors Standard | | | | | | | |
| 605 032 076 | GR 28 | - + | 105 | 760 | B3 | 330x175x215 |  |
| 610 028 080 | CPT B | - + | 110 | 800 | B0 | 344x175x230 |  |
| 610 029 080 | CPT B | - + | 110 | 800 | B1 | 344x175x230 |  |
| 625 011 082 | CPT A | - + | 125 | 820 | B0 | 344x175x290 |  |
| 625 087 085 | MAC120 | - + | 125 | 850 | B3 | 510x175x225 |  |
| 625 034 085 | A | + - | 125 | 850 | B0 | 513x189x223 |  |
| 635 044 090 | MAC DIN | + - | 135 | 900 | B3 | 513x175x210 |  |
| 640 011 090 | MAT | - + | 140 | 900 | B1 | 510x175x205 |  |
| 648 012 095 | MAC [Ford] | + - | 148 | 950 | B0 | 514x218x210 |  |
| 655 017 095 | B | + - | 155 | 950 | B0 | 513x223x223 |  |
| 655 089 095 | MAC154 | - + | 155 | 950 | B3 | 510x223x223 |  |
| 680 022 100 | B | + - | 180 | 1000 | B0 | 513x223x223 |  |
| 680 089 100 | MAC | - + | 180 | 1000 | B3 | 510x223x223 |  |
| 700 022 110 | B | + - | 200 | 1100 | B0 | 513x223x223 |  |
| 720 014 125 | C | + - | 220 | 1250 | B0 | 518x273x240 |  |

| Code | Box | + | Ah [C20] | A [EN] | H-Down | Dimensions | Layout |
|--|------------|-----|----------|--------|--------|-------------|--------|
| 12V Trucks Tir 2,0 ■ SMF ■ Super Heavy Duty | | | | | | | |
| 645 020 SMF | A | + - | 145 | 850 | B0 | 513x189x223 | |
| 680 034 SMF | B | + - | 180 | 1000 | B0 | 513x223x223 | |
| 730 012 SMF | C | + - | 230 | 1200 | B0 | 518x273x240 | |
| 6V CLASSIC | | | | | | | |
| 082 015 045 | 07711 | - + | 82 | 450 | B0 | 216x170x187 | |
| 132 011 068 | M4 | - + | 132 | 680 | B0 | 241x169x230 | |
| 160 016 090 | M5 | - + | 160 | 900 | B0 | 330x174x236 | |
| 198 011 105 | M6 | - + | 198 | 1050 | B0 | 395x170x230 | |
| 12V CLASSIC | | | | | | | |
| 610 110 080 | E1110 NATO | + - | 110 | 800 | B0 | 286x269x227 | |
| 740 091 090 | 72090 | + - | 240 | 900 | B0 | 440x400x280 | |
| 820 087 130 | 80087 | + - | 320 | 1300 | B0 | 555x400x280 | |

| Hold-down | B0 | B1 | B3 |
|-----------|----|----|----|
| | | | |

AP Batterie was founded in 1964 so it can draw on a rich store of know-how in the production of hi-tech starting batteries, which allows to our brand to be appreciated on the national and international market. Thanks to new technologies and rigorous quality control, our batteries can fully satisfy all kind of customers and their necessities.

ACTIVA
NEW GENERATION






SINCE 1964

PROJECT ITALIA srl
36040 Brendola (VI) - Italy

Zona Industriale
Via Soastene, 12

Tel. +39 0444 401557
Fax +39 0444 405334

www.project-italia.com
Email: project@project-italia.com